

檢驗報告

報告編號： UG/2009/C0075

日期： 2009年12月21日

頁數： 1 of 5



成典如業有限公司

台中縣太平市新平路3段137號

以下測試之樣品係由供應廠商所提供及確認：

產品名稱： 能益淨天然防蟻侵
產品型號： NA080
生產或供應廠商： 成典如業有限公司
原產國/原產地： 台灣
送樣日期： 2009年12月10日
測試日期： 2009年12月11日

委託測試項目： 有機氯農藥、有機磷農藥及 LC 87項農藥定量分析

測試方法： 本測試參考中華民國國家標準CNS 13570-2方法—食品中殘留農藥檢驗方法：多重殘留分析方法(II)(88/08/04公告)；衛生署公告食品中殘留農藥—多重殘留分析方法(三)(公告字號：食字第0981800273號)及衛生署公告食品中殘留農藥—多重殘留分析方法(四)(公告字號：食字第0981800278號)。以氣相層析串聯離子阱質譜儀(GC/MS/MS)及液相層析串聯質譜儀(LC/MS/MS)檢測。

測試結果： 此份樣品共檢測202項農藥(詳附錄)，均未檢出。

備註：1.本報告不得分離，分離使用無效。

2.檢測結果若大於方法偵測極限則匯整上表中，本次檢測項目及方法偵測極限分別詳列於附錄中。

- END -

Signed for and on behalf of
SGS Taiwan Ltd.

Shin-Jyh Chen

Shin-Jyh Chen
Asst. Manager

超微量工業安全實驗室
Ultra Trace Industrial Safety Hygiene

附 錄

報告編號：

UG/2009/C0075

日期：2009年12月21日

頁數：2 of 5

測試項目及MDL匯整表：

單位:ppm(mg/kg)

序號	測試項目		CAS NO.	方法偵測極限	序號	測試項目		CAS NO.	方法偵測極限
1.	2,4-地	2,4-D	94-75-7	0.02	41.	克凡派	Chlorfenapyr	122453-73-0	0.01
2.	3-keto加保扶代謝物	3-keto Carbofuran	16709-30-1	0.01	42.	克福隆	Chlorfluazuron	71422-67-8	0.03
3.	3-OH加保扶代謝物	3-OH carbofuran	16655-82-6	0.01	43.	克氯瑞	Chloropropylate	5836-10-2	0.10
4.	毆殺松	Acephate	30560-19-1	0.10	44.	四氯異苯晴	Chlorothalonil	1897-45-6	0.01
5.	亞滅培	Acetamidrid	135410-20-7	0.01	45.	陶斯松	Chlorpyrifos	2921-88-2	0.05
6.	拉草	Alachlor	15972-60-8	0.01	46.	甲基陶斯松	Chlorpyrifos-methyl	5598-13-0	0.03
7.	得滅克	Aldicarb	116-06-3	0.01	47.	克氯得	Chlozolate	84332-86-5	0.01
8.	得滅克代謝物	Aldicarb sulfone	1646-88-4	0.01	48.	可尼丁	Clothianidin	210880-92-5	0.01
9.	得滅克代謝物	Aldicarb sulfoxide	1646-87-3	0.01	49.	施力松	Cyanofenphos	13067-93-1	0.02
10.	阿特靈	Aldrin	309-00-2	0.01	50.	賽座滅	Cyazofamid	120116-88-3	0.01
11.	亞烈寧	Allethrin	584-79-2	0.01	51.	賽扶寧	Cyfluthrin	68359-37-5	0.05
12.	亞滅寧	alpha-Cypermethrin	67375-30-8	0.05	52.	賽洛寧	Cyhalothrin	91465-08-6	0.01
13.	谷速松	Azinphos-methyl	86-50-0	0.10	53.	賽滅寧	Cypermethrin	52315-07-8	0.05
14.	亞托敏	Azoxystrobin	131860-33-8	0.01	54.	環克座	Cyproconazole	94361-06-5	0.01
15.	免敵克	Bendiocarb	22781-23-3	0.01	55.	4,4-DDE	p,p'-DDE	72-55-9	0.01
16.	倍尼芬	Benfluralin	1861-40-1	0.01	56.	4,4-DDT	p,p'-DDT	50-29-3	0.01
17.	免扶克	Benfuracarb	82560-54-1	0.01	57.	第滅寧	Deltamethrin	52918-63-5	0.02
18.	本達隆	Bentazone	25057-89-0	0.01	58.	滅賜松	Demeton-S-methyl	919-86-8	0.03
19.	a-蟲必死	-BHC	319-84-6	0.01	59.	大利松	Diazinon	333-41-5	0.02
20.	b-蟲必死	-BHC	319-85-7	0.01	60.	益發靈	Dichlofluanid	1085-98-9	0.01
21.	必芬諾	Bifenox	42576-02-3	0.01	61.	二氯松	Dichlorvos	62-73-7	0.01
22.	畢芬寧	Bifenthrin	82657-04-3	0.03	62.	大克爛	Dicloran	99-30-9	0.01
23.	比多農	Bitertanol	55179-31-2	0.05	63.	大克瑞	Dicofol	115-32-2	0.02
24.	乙基溴磷松	Bromophos-ethyl	4824-78-6	0.03	64.	雙特松	Dicrotophos	141-66-2	0.01
25.	溴磷松	Bromophos-methyl	2104-96-3	0.03	65.	地特靈	Dieldrin	60-57-1	0.01
26.	新殺瑞	Bromopropylate	18181-80-1	0.02	66.	待克利	Difenoconazole	119446-68-3	0.10
27.	布瑞莫	Bupirimate	41483-43-6	0.03	67.	二福隆	Diflubenzuron	35367-38-5	0.01
28.	丁基拉草	Butachlor	23184-66-9	0.01	68.	大滅松	Dimethoate	60-51-5	0.02
29.	佈嘉信	Butocarboxim	34681-10-2	0.01	69.	達滅芬	Dimethomorph	110488-70-5	0.01
30.	比達寧	Butralin	33629-47-9	0.05	70.	達克利	Diniconazole	83657-24-3	0.03
31.	四氯丹	Captafol	2425-06-1	0.05	71.	達乃安	Dinitramine	29091-05-2	0.01
32.	蓋普丹	Captan	133-06-2	0.01	72.	大芬滅	Diphenamid	957-51-7	0.01
33.	加保利	Carbaryl	63-25-2	0.01	73.	二硫松	Disulfoton	298-04-4	0.01
34.	貝芬替	Carbendazim	10605-21-7	0.01	74.	普得松	Ditalimfos	5131-24-8	0.03
35.	加保扶	Carbofuran	1563-66-2	0.01	75.	護粒松	Edifenphos	17109-49-8	0.01
36.	加芬松	Carbophenothion	786-19-6	0.02	76.	安殺番	Endosulfan (alpha)	959-98-8	0.005
37.	丁基加保扶	Carbosulfan	55285-14-8	0.01	77.	安殺番	Endosulfan (beta)	33213-65-9	0.005
38.	瑞離丹	Chinomethionat	2439-01-2	0.01	78.	安特靈	Endrin	72-20-8	0.01
39.	-可氯丹	-Chlordane	5103-71-9	0.01	79.	一品松	EPN	2104-64-5	0.01
40.	-可氯丹	-Chlordane	5103-74-2	0.01	80.	益化利	Esfenvalerate	66230-04-4	0.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

附 錄

報告編號：

UG/2009/C0075

日期：2009年12月21日

頁數：3 of 5

測試項目及MDL匯整表(續)： 單位:ppm(mg/kg)

序號	測試項目	CAS NO.	方法偵測極限	序號	測試項目	CAS NO.	方法偵測極限		
81.	愛殺松	Ethion	563-12-2	0.01	121.	加福松	Isoxathion	18854-01-8	0.02
82.	普伏松	Ethoprophos	13194-48-4	0.01	122.	克收欣	Kresoxim-methyl	143390-89-0	0.01
83.	益多松	Etrimfos	38260-54-7	0.05	123.	靈丹	Lindane	58-89-9	0.01
84.	芬滅松	Fenamiphos	22224-92-6	0.05	124.	祿芬隆	Lufenuron	103055-07-8	0.01
85.	芬瑞莫	Fenarimol	60168-88-9	0.02	125.	馬拉松	Malathion	121-75-5	0.01
86.	芬殺瑞	Fenazaquin	120928-09-8	0.01	126.	滅芬草	Mefenacet	73250-68-7	0.01
87.	撲滅松	Fenitrothion	122-14-5	0.01	127.	美福松	Mephosfolan	950-10-7	0.02
88.	丁基滅必蟲	Fenobucarb	3766-81-2	0.01	128.	滅普寧	Mepronil	55814-41-0	0.01
89.	芬普寧	Fenpropathrin	39515-41-8	0.08	129.	滅克松	Methacrifos	62610-77-9	0.02
90.	芬普瑞	Fenpyroximate	134098-61-6	0.01	130.	達馬松	Methamidophos	10265-92-6	0.02
91.	繁福松	Fensulfothion	115-90-2	0.05	131.	滅大松	Methidathion	950-37-8	0.02
92.	芬殺松	Fenthion	55-38-9	0.02	132.	滅賜克	Methiocarb	2032-65-7	0.01
93.	芬化利	Fenvalerate	51630-58-1	0.03	133.	納乃得	Methomyl	16752-77-5	0.01
94.	芬普尼	Fipronil	120068-37-3	0.001	134.	莫多草	Metolachlor	51218-45-2	0.01
95.	伏速隆	Flazasulfuron	104040-78-0	0.01	135.	治滅蟲	Metolcarb	1129-41-5	0.01
96.	護賽寧	Flucythrinate	70124-77-5	0.10	136.	滅必淨	Metribuzin	21087-64-9	0.05
97.	氟芬隆	Flufenoxuron	101463-69-8	0.01	137.	美文松	Mevinphos	7786-34-7	0.02
98.	護矽得	Flusilazole	85509-19-9	0.01	138.	滅蟻樂	Mirex	002385-85-5	0.01
99.	福多寧	Flutolanil	66332-96-5	0.01	139.	稻得壯	Molinate	2212-67-1	0.01
100.	護汰芬	Flutriafol	76674-21-0	0.01	140.	亞素靈	Monocrotophos	6923-22-4	0.05
101.	福化利	Fluvalinate	102851-06-9	0.10	141.	邁克尼	Myclobutanil	88671-89-0	0.05
102.	大福松	Fonofos	944-22-9	0.02	142.	滅落脫	Napropamide	15299-99-7	0.01
103.	福木松	Formothion	2540-82-1	0.03	143.	尼瑞莫	Nuarimol	63284-71-9	0.05
104.	甲基合氯氟	Gallant	69806-40-2	0.01	144.	歐滅松	Omethoate	1113-02-6	0.05
105.	合芬寧	Halfenprox	111872-58-3	0.05	145.	樂滅草	Oxadiazon	19666-30-9	0.01
106.	飛佈達	Heptachlor	76-44-8	0.01	146.	歐殺滅	Oxamyl	23135-22-0	0.01
107.	環氧飛佈達	Heptachlor epoxide	1024-57-3	0.01	147.	嘉保信	Oxycarboxine	5259-88-1	0.01
108.	飛達松	Heptenophos	23560-59-0	0.01	148.	巴克素	Paclobutrazol	76738-62-0	0.01
109.	菲克利	Hexaconazole	79983-71-4	0.02	149.	巴拉松	Parathion	56-38-2	0.01
110.	六伏隆	Hexaflumuron	86479-06-3	0.05	150.	甲基巴拉松	Parathion-methyl	298-00-0	0.01
111.	合賽多	Hexythiazox	78587-05-0	0.05	151.	平克座	Penconazole	66246-88-6	0.02
112.	易胺座	Imibenconazole	86598-92-7	0.05	152.	賓克隆	Pencycuron	66063-05-6	0.01
113.	益達胺	Imidacloprid	138261-41-3	0.01	153.	施得圃	Pendimethalin	40487-42-1	0.01
114.	因得克	Indoxacarb	144171-61-9	0.01	154.	百滅寧	Permethrin	52645-53-1	0.20
115.	丙基喜樂松	Iprobenfos	26087-47-8	0.03	155.	賽達松	Phenthoate	2597-03-7	0.02
116.	依普同	Iprodione	36734-19-7	0.05	156.	福瑞松	Phorate	298-02-2	0.01
117.	依殺松	Isazofos	42509-80-8	0.01	157.	裕必松	Phosalone	2310-17-0	0.03
118.	亞芬松	Isofenphos	25311-71-1	0.01	158.	益滅松	Phosmet	732-11-6	0.02
119.	滅必蟲	Isoprocarb	2631-40-5	0.01	159.	福賜米松	Phosphamidon	13171-21-6	0.05
120.	亞賜圃	Isoprothiolane	50512-35-1	0.02	160.	比加普	Pirimicarb	23103-98-2	0.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

超微量工業安全實驗室
Ultra Trace Industrial Safety Hygiene

附 錄

報告編號：

UG/2009/C0075

日期：2009年12月21日

頁數：4 of 5

測試項目及MDL匯整表(續)： 單位:ppm(mg/kg)

序號	測試項目	CAS NO.	方法偵測極限	序號	測試項目	CAS NO.	方法偵測極限		
161.	乙基亞特松	Pirimiphos-ethyl	23505-41-1	0.01	182.	殺力松	Salithion	3811-49-2	0.02
162.	亞特松	Pirimiphos-methyl	29232-93-7	0.01	183.	得克利	Tebuconazole	107534-96-3	0.01
163.	普拉草	Pretilachlor	51218-49-6	0.05	184.	得福隆	Teflubenzuron	83121-18-0	0.01
164.	撲克拉	Prochloraz	67747-09-5	0.03	185.	托福松	Terbufos	13071-79-9	0.01
165.	撲滅寧	Procymidone	32809-16-8	0.05	186.	四克利	Tetraconazole	112281-77-3	0.01
166.	佈飛松	Profenofos	41198-08-7	0.02	187.	得脫瑞	Tetradifon	116-29-0	0.02
167.	普滅克	Promecarb	2631-37-0	0.01	188.	治滅寧	Tetramethrin	7696-12-0	0.01
168.	除草靈	Propanil	709-98-8	0.01	189.	腐絕	Thiabendazole	148-79-8	0.01
169.	加護松	Propaphos	7292-16-2	0.01	190.	賽速安	Thiamethoxam	153719-23-4	0.01
170.	普克利	Propiconazole	60207-90-1	0.03	191.	殺丹	Thiobencarb	28249-77-6	0.01
171.	安丹	Propoxur	114-26-1	0.01	192.	硫敵克	Thiodicarb	59669-26-0	0.01
172.	普硫松	Prothiofos	34643-46-4	0.01	193.	三泰芬	Triadimefon	43121-43-3	0.01
173.	白克松	Pyraclofos	77458-01-6	0.03	194.	三泰隆	Triadimenol	55219-65-3	0.05
174.	白粉松	Pyrazophos	13457-18-6	0.10	195.	三落松	Triazophos	24017-47-8	0.02
175.	畢達本	Pyridaben	96489-71-3	0.05	196.	三氯松	Trichlorfon	52-68-6	0.05
176.	必芬松	Pyridaphenthion	119-12-0	0.20	197.	三氟敏	Trifloxystrobin	141517-21-7	0.01
177.	比芬諾	Pyrifenox	88283-41-4	0.03	198.	賽福座	Triflumizole	99387-89-0	0.01
178.	百利普芬	Pyriproxyfen	95737-68-1	0.01	199.	三福林	Trifluralin	1582-09-8	0.01
179.	百快隆	Pyroquilon	57369-32-1	0.01	200.	繁米松	Vamidotion	2275-23-2	0.10
180.	拜裕松	Quinalphos	13593-03-8	0.02	201.	免克寧	Vinclozolin	50471-44-8	0.01
181.	快伏草	Quizalofop-ethyl	76578-14-8	0.01	202.	滅克蟲	XMC	2655-14-3	0.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。
This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

超微量工業安全實驗室
Ultra Trace Industrial Safety Hygiene

樣品照片

頁數 : 5 of 5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.